

JIA FU MACHINERY HEADING FOR THE WORLD

TEL:+ 8615853645000 URL:www.jiafufogger.com
ADRESS:No. 2902 Bohai South Road, Shouguang City, Shandong Province




SMALL BODY
BUT BIG ENERGY



SPRAY MACHINE PROFESSIONAL MANUFACTURER

Shandong Jiafu Machinery Manufacturing Co., Ltd



■ Company Profile

Shandong Jiafu Machinery Manufacturing Co., Ltd. is an enterprise specializing in the research, development, production and sales of fog machines, ULV sprayers, remote control lawn mowers, remote control weed-er, etc. The company always regards insistence on development and innovation as its guiding ideology, and regards technology, quality, service and integrity as its guiding ideology. The basis for the company's sustainable development is to take a modern, complete and scientific quality management system and the introduction of equipment as the guarantee for its development. Welcome friends from all walks of life to visit, guide and negotiate business. Strive to create cost-effective products for you. Because professional, so worthy of your trust!

■ Thermal Fogger

SPRAY MACHINE PROFESSIONAL MANUFACTURER



JF120Q

Medicine tank capacity: 15L
Fuel tank capacity: 2L
Power: 48CC
Start method: Electric
Engine material: 304SS
Size: 110*27*32
Weight: 10.5kg



JF120K

Medicine tank capacity: 15L
Fuel tank capacity: 2L
Power: 56CC
Start method: Electric & Manual
Engine material: 304SS
Size: 110*27*32
Weight: 10.5kg



JF180K

Medicine tank capacity: 15L
Fuel tank capacity: 2L
Power: 64CC
Start method: Electric & Manual
Engine material: 316SS
Size: 110*20*32
Weight: 10.5kg

■ Thermal Fogger

SPRAY MACHINE PROFESSIONAL MANUFACTURER



JF130

Medicine tank capacity: 7L
Fuel tank capacity: 2L
Power: 48CC
Start method: Manual
Engine material: 304SS
Size: 110*30*35
Weight: 6.5kg



JF130A

Medicine tank capacity: 7L
Fuel tank capacity: 2L
Power: 48CC
Start method: Electric
Engine material: 304SS
Size: 110*30*35
Weight: 6.5kg



TS35

Medicine tank capacity: 7.5L
Fuel tank capacity: 2L
Power: 48CC
Start method: Electric & Manual
Engine material: 316SS
Size: 110*30*35
Weight: 7.5kg

■ Thermal Fogger

SPRAY MACHINE PROFESSIONAL MANUFACTURER



TS35A

Medicine tank capacity: 7.5L
Fuel tank capacity: 2L
Power: 48CC
Start method: Electric & Manual
Engine material: 316SS
Size: 130*30*35
Weight: 7.5kg



TS80

Medicine tank capacity: 7.5L
Fuel tank capacity: 2L
Power: 48CC
Start method: Electric & Manual
Engine material: 316SS
Size: 95*30*35
Weight: 7.5kg



SS200

Medicine tank capacity: 200L
Fuel tank capacity: 7L
Power: 96CC
Start method: Electric & Remote control
Engine material: 316SS
Size: 108*64*43
Weight: 50kg

■ ULV SPRAYER

SPRAY MACHINE PROFESSIONAL MANUFACTURER



S8-48

Tank Capacity: 8L
Input power: DC48V
Flow Rate(Max): 0.3L/MIN
Power: 10-450W (adjustable)
Droplet size: 5-50 μ m
Packing size: 480*185*460mm
Weight: 8.5KG



S8-24

Tank Capacity: 8L
Input power: DC24V
Flow Rate(Max): 0.3L/MIN
Power: 260W/450W (adjustable)
Droplet size: 5-50 μ m
Packing size: 480*185*460mm
Weight: 7.5KG



ULV S-5L

Tank Capacity: 5L
Input power: DC24V
Flow Rate(Max): 0.3L/MIN
Power: 340W
Droplet size: 5-50 μ m
Packing size: 430*250*620mm
Weight: 6.5KG

■ ULV SPRAYER

SPRAY MACHINE PROFESSIONAL MANUFACTURER



ULV S-5

Tank Capacity: 5L
Input power: AC220V
Flow Rate(Max): 0.4L/MIN
Power: 1200W
Droplet size: 5-50 μ m
Packing size: 520*180*290mm
Weight: 3KG



ULV S-4

Tank Capacity: 4L
Input power: AC220V
Flow Rate(Max): 0.4L/MIN
Power: 1200W
Droplet size: 5-50 μ m
Packing size: 365*285*450mm
Weight: 4KG



ULV S-4L

Tank Capacity: 4L
Input power: DC24V
Flow Rate(Max): 0.3L/MIN
Power: 340W
Droplet size: 5-50 μ m
Packing size: 370*280*450mm
Weight: 7.5KG

■ ULV SPRAYER

SPRAY MACHINE PROFESSIONAL MANUFACTURER



ULV S-7.5

Tank Capacity: 7.5L
Input power: AC220V
Flow Rate(Max): 0.4L/MIN
Power: 1200W
Droplet size: 5-50 μ m
Packing size: 520*180*340mm
Weight: 3.5KG



ULV S-7.5L

Tank Capacity: 7.5L
Input power: DC24V
Flow Rate(Max): 0.3L/MIN
Power: 260W/450W (adjustable)
Droplet size: 5-50 μ m
Packing size: 430*250*620mm
Weight: 7KG



ULV S-10

Tank Capacity: 10L
Input power: AC220V
Flow Rate(Max): 0.4L/MIN
Power: 2200W
Droplet size: 5-50 μ m
Packing size: 430*250*620mm
Weight: 4.5KG

■ ROMOTE CONTROL MACHINE

SPRAY MACHINE PROFESSIONAL MANUFACTURER



POWER TILLER JF195

Engine: diesel engine
Power: 12 hp
Track width: 60CM
Working width: 90-120CM (adjustable)
Working depth: 40CM
Remote control distance: 200 m



LAWN MOWERS

Engine: gasoline engine
Power: 7.5-9 hp (optional)
Track width: 80CM
Working width: 55-90CM
Working height: 2-20CM (adjustable)
Remote control distance: 400 m



POWER WEEDER

Engine: diesel engine
Power: 9/12 HP (optional)
Track width: 80CM
Working width: 80-120CM
Working height: 2-20CM (adjustable)
Remote control distance: 400 m

■ ELECTRIC FOG MACHINE

SPRAY MACHINE PROFESSIONAL MANUFACTURER



JF380

Tank Volume: 15L
Input power: DC24V
Power: 130W
Flow: 1.5L/MIN
Weight: 2.0KG
Fuel tank: 2L



JFS3200

Tank Volume: 5L
Input power: AC220V
Power: 3200W
Flow: 1.5L/MIN
Weight: 46KG
Dual System Cool Mist Molecular Mode



JFA3200

Tank Volume: 5L
Input power: AC220V
Power: 3200W
Flow: 1.5L/MIN
Weight: 26KG